Building Research Establishment Digest

CI/SfB (Ajt)

DIGEST 159

November 1973

Index

Subject index

Accidents
in the home 43, 44

Accuracy
in setting out 114

Acoustics (*see* Sound)

Adhesives
thermoplastics flooring 33

Admixtures (*see* Concrete)

Aggregates (*see* Concrete)

Air conditioning
offices, operating costs 138

Air locking
heating systems 98

Airbricks
under-floor ventilation 18
—effect on heat loss 145

Alkaline moisture
attack on floorings 33

Aluminium
painting 71
rainwater goods 107
U-values, corrugated sheeting 108

Appearance of buildings
effect of design on weathering 45, 46

Asbestos-cement
drainpipes and fittings 130
in warm climates 92
painting 55
rainwater goods 107
U-values, corrugated sheeting 108

Asphalt, mastic
damp-proof courses 77
damp-proof membranes 54, 120
in warm climates 92
roofing, durability 144

Auditoria
improving acoustics 82

Ballvalves
valves and floats 15

Bars
security, for windows 122

Bathrooms, internal
ventilation 78

Battens
flooring 18
wall linings 27

Bituminous materials
damp-proof courses 77
damp-proof membranes 54, 120
in warm climates 92
paint 55, 56, 70
roofing 8
—durability 144

Blinds
against sun 68
in double windows 140

Blocks
aerated concrete 17
clay 65, 66
lightweight aggregate concrete 111, 123

Blockwork
fire-resistance 111, 123
mortars for jointing 58
plastering 49
strength 61

Boilers
domestic, flues and chimneys 60
offices, operating costs 138
scale formation 146

Brickwork, bricks (*see also* Mortars)
bricks, calcium silicate 157
bricks, clay 65, 66
—damp-proof course 77
—sulphate content 89
bricklaying, cold weather 58
brickwork
—cleaning 113
—cracking 75
—efflorescence 65, 66
—frost damage 65
—frost resistance 66, 157
—moisture expansion 75
—mortars 58
—movement joints 157
—painting 55
—plastering 49
—pointing 58
—staining 46
—strength 61
—sulphate attack 89
—thermal conductivity 108
—vapour resistivity 110
—water-repellent treatments 125
—weathering 46

Cast iron
drainpipes and fittings 130
rainwater goods 170

Cast stone
appearance 46
cleaning 113

Cavities
thermal resistance 108

Cavity walls
foamed plastics, injection 93
sound insulation, principles 143
strength 61

Cedar, Western Red
characteristics 72
maintenance 46, 106

Ceilings
staining from flues 60
suspended, sound insulation 103

Cement (*see* Concrete)

Children
domestic safety 44

Chimneys (*see* Flues)

Chutes, refuse
domestic refuse 116

Cisterns
galvanised steel 15
overflow pipes 15
plastics 69

Clay products (*see also* Brickwork)
corrosion-resistant floorings 120
drainpipes and fittings 130
floor tiles 79
terra-cotta, weathering 46

Clay soils
foundations 67
movements and structure 63
movements cracking brickwork 75
pile foundations 95
sampling and identification 64
sulphates, distribution 90

Cleaning (*see* Maintenance)

Climate
hurricanes 92
rain, exposure index UK 127
warm climates 92
wind speeds in UK 119

Coatings
on concrete, against sulphates 90
on metals—aluminium 70
—nylon 69
—pvc 69
—zinc 70
on steel reinforcement
—cement slurry 123
—zinc 109
zinc, in corrosive waters 98

Cold water services (*see* Water)

Colour
co-ordination 149

Numerical list on pages 7 and 8

Concrete
materials
admixtures
—calcium chloride, corrosion of steel 109, 126
drying shrinkage 126
—types and uses 150
aggregates
—alkali-aggregate reaction 126
—dense 150
—expanded polystyrene beads 93
—lightweight 123, 150
—properties 13
—pyrite staining 126
—reactive ironstone 126
—sea salt, effect on floorings 54
—shrinkage 35, 126
cements
—sulphate resistance 90
—types 150
reinforcement
—corrosion following concrete carbonation 126
—protection, cover depth and concrete quality 59
—protection, zinc coatings 109

mixes and placing
mix
—design for pumping 133
—design to resist sulphate attack 90
—measurement of materials 13
—proportions and quality control 13
—specification 13
—specification for pumping 133
—water/cement ratio 13, 90
—workability 13
—workability lightweight aggregate concrete 123
placing
—compaction 13
—by pump 133
protection
—curing 13
—sulphate attack 90
surface finish
—falls, currents, cambers 120
—level 47, 104

properties
as base for painting 55
chemicals
—resistance to attack 150
—salt crystallisation, damage 126
—sea water, damage 126
—sulphate-resistance 90
—sulphurous gas attack 126
cleaning external surfaces 113
density, lightweight aggregate concretes 123
drying shrinkage 75, 126
—calcium chloride, effect on 126
—lightweight aggregate concrete 123
—measurement 35
fire
—refractory concrete 150
—resistance 111, 150
—resistance of lightweight aggregate concrete 111, 123
frost
—damage 126
—resistance 150
strength 13, 150
strength, concrete walls 61
strength, lightweight aggregate concrete 111, 123
thermal conductivity, lightweight aggregate concrete 123
thermal insulation 150
weathering, effect of design 46

Concrete, aerated
manufacture and properties 16
structural uses 17

Condensation
design to avoid 110
domestic flues 60
double glazing 140
estimating risk 110, 140
floors 18
paints, anti-condensation 56, 110
roofs—built-up felt 8
—lightweight sheeted 110
vapour barrier 110

Copper
damp-proof courses 77
painting 71
stress corrosion in aerated concrete 17
theft from sites 122
water services 98

Corrosion
bimetallic 146
prevention
—floors 120
—iron and steel 70
—metals in natural waters 98
—non-ferrous metals 71
—steel reinforcement 59, 120

Cracking
buildings 75

Critical path
network analysis 53

Cylinders and tanks, hot water storage
anodic protection 98
copper 98
galvanised steel 98

Dampness, resistance to moisture penetration (*see also* Condensation)
dampness
—effects on Portland stone 45
—measuring sub-floor 18
—measuring wall 55
—sulphate attack on brickwork 89
—walls 27
damp-proof courses
—bridging 27
—continuity with membrane 54
—injection 27
—insertion 27
—lightweight concrete block walling 123
—materials, properties, location 77
damp-proof membranes
—continuity with dpc 54
—in corrosion-resistant floors 120
—in solid floors 18, 54
driving rain, exposure index 127
drying after flood 152
drying walls for painting 55, 57
electro-osmosis 27
flood-water damage 152
humid environment, effect on metals, pipes, etc. 98
joinery, protection on site 73
walls
—rising damp 27
—water-repellents 56, 125

Daylight (*see* Light)

Decay
external joinery 73
preventive treatments 72, 106
wooden floors 18

Design
appearance and durability 45, 46
joints 137
safety in dwellings 43, 44
security 122
structural, in architecture 12
vandalism 132
wind environment, tall buildings 141

Dezincification
hot-pressed brass 98

Doors
fire-doors, wood 155
painting and preservation 106
safety 44
security 122

Double glazing
generally 140
sound reduction 128, 140
sun-controls in 68, 140
ventilation 129, 140

Drainage, rainwater, soil and waste, underground pipelines
common ducts, integration of services 78
floors, industrial 120
hospitals, design and maintenance of sanitary services 81
rainwater
—discharge into soil stack 80
—pipes and gutters 107

soakaways 151
soil and waste systems
—dwellings 80
—offices, multi-storey 115
underground pipelines 130, 131

Durability, weathering, defects, failures in general
algae, lichens and mosses, control 139
asphalt roofing 144
bitumen felt roofing 144
brickwork
—effect of design on weathering 46
—frost resistance 65, 66
—sulphate attack 89
—washings from limestone 46
buildings—cracking 75
concrete
—changes in appearance on exposure 126
—effect of design on weathering 46
concrete, aerated—durability 16
flood damage, repair and renovation 152
metals
—durability in natural waters, 98
—effect of design on weathering 46
—stainless steel 121
—stainless steel plumbing 83
paint systems
—walls 56
—woodwork 106
plastics
—durability and weather 69
Portland stone, weathering and appearance 45
renderings—sulphate attack 45
slate
—effect of design on weathering 46
terra-cotta
—effect of design on weathering 46
wood
—effect of design on weathering 46
—external influences on surfaces 106
—homegrown softwoods 72

Dustbins
domestic refuse 116

Dwellings
chimney design 60
condensation 110
housing programmes 154
noise protection (Heathrow Airport) grants scheme 129
progress control, housing contracts 134
refuse disposal 116
safety 43, 44
security 122
soil and waste systems 80
sound insulation
—lightweight structures 96
—traditional structures 102, 103
vandalism 132
ventilation, internal bathrooms and WCs 78
water services
—modernising 146
—pipes and fittings 15
—stainless steel 83

Earthquakes
design to withstand 92

Efflorescence
brickwork 65, 66
painted walls 55, 56

Electrical installations
construction sites, distribution 87, 88
domestic safety 43
flood damage 152
offices, operating costs 138

Electro-osmosis
damp-proofing 27

Environment
atmospheric conditions affecting condensation 110
climates
—internal, influence on condensation 110
—internal and external, effects on window joinery 73
—warm, building in 92
exposure grading, UK 127
ground effect on wind speed 119
noise
—effect on solar heat gain 68
—effect on ventilation needs 129
—outdoor 128, 129
—road traffic 153
rain, index of driving rain, UK 127
wind around tall buildings 141
wind speeds in UK 119

Excavation
drainage pipelines 130, 131
groundwater
—analysis 90
—level determination 64
trial holes 64

Felts
bituminous
—damp-proof courses 77
—roofing 8
sarking, plastics 69

Fences, gates
painting wood 106
security 122
vandalism 132

Fire
concrete for protection 150
doors, wood 155
fire gradings, built-up felt roofs 8
honeycomb fire dampers 158
plastics
—behaviour in fire 69
—cellular, behaviour in fire 93
precautions in ventilation ducts 78, 158
resistance
—aerated concrete 16
—concretes 111
—lightweight aggregate concrete block walling 123

Floors, floorings, screeds, skirtings
flooring materials
clay tile 79
concrete 47
corrosion-resistant 120
granolithic 47
magnesium oxychloride corroding metals 59, 98
pvc, flexible 33
pvc (vinyl) asbestos 33
quarry tile 79
terrazzo 47
thermoplastic 33
wood, block, strip 18

floorings
dust-proofing concrete 47
effect of alkaline moisture 33
impact noise 103
impervious, on damp timber base 18
plasticiser migration 33
tolerance to moisture 54

floors
condensation 110
heat losses, ground floors 145
sound transmission 96, 102, 103, 143
thermal insulation 18, 93, 145

floors, concrete
solid
—damp-proof membranes 18
—sulphate attack 54, 75
suspended
—deflection 35, 75
—sound insulation 103
—steel corrosion, preventing 59, 120

floors, corrosion-resistant
industrial buildings 120

floors, heated
clay tile finishes 79
concrete finishes 47
screeds 104

floors, wood
decay, prevention 18
floating 103
sound insulation 103
ventilation 18

screeds
concrete 104
drying time 33, 54, 104
dryness, testing 18, 33
floating 103, 104
for plastics floorings 33
for terrazzo 47
heated 104
levels 104
lightweight aggregate concrete 104, 123
synthetic anhydrite 104

skirtings
wood 18
wood, painting 106

Flues, chimneys
chimneys
—design for domestic boilers 60
—sulphate attack 89
—thermal insulation 60
—wind loads 119
chimney stacks
—damp-proof courses 77
—wind effects on roofs 119
flues for domestic boilers 60

Foundations, soils
fill ('made' ground) 142
foundations
—choice of 67
—filled sites 142
—frost heave 75
—pad footings 67
—pile 63
—pile, choosing type 95
—raft 63, 67
—short bored-pile 67
—strip footings 67
—sulphate-resisting concrete 90
groundwater
—general 64
—sampling and analysis 90
—sulphate-bearing 90
site investigation 64
—fill 142
soils
—effect of tree roots 63, 67
—expansive 92
—identification 64
—made-up ground 75
—movements 63, 75
—properties 63
—sampling and analysis 90
—sulphates, occurrence 90

Frost
damage to
—brickwork 65, 75
—concrete 126
—foundations 75
heave 63, 75
protection
—brickwork 58
—concrete 150
—mortar 58
resistance
—aerated concrete 16
—bricks 66

Fungi, organic growths
algae, lichens, mosses; control 139
cellar rot 18
dry rot 18, 106

Galvanised coatings
corrosive waters, action 98
metals 70
painting 71
reinforcing steel 109

Gas installations
domestic safety 43, 44
offices, operating costs 138

Glass (*see* Windows)

Granolithic concrete
floors 47

Groundwater (*see* Foundations)

Gutters
sizing 107

Hardcore
materials 142
sulphates in 90

Hospitals
sanitary services, design and maintenance 81

Industrial buildings
corrosion-resistant floors 120

Insulation (*see* Sound *or* Thermal effects)

Iron
painting 70
water services 98

Joints
design principles 137
movement joints
—aerated concrete block walls 17
—brickwork 65, 157
—clay tiled floors 79
—lightweight aggregate concrete block walls 123
open drained joints: concrete wall panels 85
plastics water stops 69

Lead
damp-proof courses 77
painting 71
water services 98

Lifts
wilful damage 132

Light
daylight
—estimating, in buildings 41, 42
glasses, light transmission factors
—double glazing 140
—single glazing 42
plastics sheets
—light transmission factors 42
standards
—safety in dwellings 44
—security 122
windows and solar heat gain 68

Locks
security 122

Magnesium oxychloride
corroding metals 59, 98

Maintenance, cleaning
aluminium, periodic washing 46
brickwork
—remedying sulphate attack 89
—repointing 58
buildings
—cleaning external surfaces 113
—cracking 75
double glazing 140
drains, clearing pitch fibre, plastics 131
flood damage 152
hospitals, sanitary services 81
offices, engineering services 138
organic growths, control 139
plasterboard, to avoid air gaps 96
repainting
—metals, ferrous 70
—metals, non-ferrous 71
—walls, internal and external 56, 57
—wood 106
—window joinery 73
stainless steel, cleaning 121
stone
—cleaning 113
—colourless preservatives 125
terrazzo flooring 47
vandalism and maintenance 132
windows, double 140
wood, clear finishes 46

Metals (*see also* metals by names)
bimetallic corrosion 146
durability in natural waters 98
humid environment, effects 98
magnesium oxychloride, corrosive action 98
paint and other coatings 70, 71
warm climates, effects 92
weathering, appearance 46, 121

Mortars
aerated concrete block walls 17
brick, block, masonry walls 58
corrosion-resistant floorings 120
lightweight aggregate concrete block walls 123
strength relationship with walls 61

Mould growths (*see* Fungi)

Noise (*see* Sound)

Non-ferrous metals
painting 71

Offices
open plan, sound insulation 129
services, operating costs 138
soil and waste systems, multi-storey 115
solar heat gain and comfort 68

Old people's dwellings
safety 44

Paints, painting
asbestos-cement surfaces 55
brick surfaces 55
concrete surfaces 55
metals—ferrous 70
—non-ferrous 71
paints—anti-condensation 56, 110
—mould resistant 139
plaster surfaces 55
putty and glazing compounds 106
rendered surfaces 55
stone surfaces 55
walls
—external 56
—internal 56
warm climates, effects 92
window joinery 73, 106
wood 106

Parapet walls
damp-proof courses 77
wind loading 119

Partitions
sound insulation 102

Party floors
sound insulation 96, 103

Party walls
sound insulation 96, 102

Pile foundations
installation 95
load-bearing capacity 67
selection 67, 95
settlement 67
soils 63, 67

Pipelines (*see* Drainage)

Pitch fibre
drainpipes and fittings 131

Plasters, plastering, rendering
plaster
—characteristics 49
—painting 55
plastering
—specification 49
—systems for various backgrounds 49
—walls to impede damp penetration 27
rendering
—cement and sand, effects of sulphate attack 45
—cement/lime/sand
—characteristics 49
—as a base for paint 55
—cleaning surfaces 113
—on lightweight aggregate concrete block walls 123
—sulphate attack 89

Plastics
applications 69
cellular 93
damp-proof membranes 120
drainpipes and fittings 131
durability 69
floats for ballvalves 15
floorings—*see* floors
pipes for cold-water service 15
polythene damp-proof course 77
properties 69
warm climates, effects 92

Plumbing (*see* Drainage *and* Water, hot and cold supplies)

Preservatives for wood
treatments 18, 72, 106

Pressed steel
rainwater goods 107

Production planning, progress control
critical path method 53
flow charts for housing contracts 134
project network analysis 53

Pumping
concrete 133

Putty
glazing compounds 106

Rainfall
driving-rain index 127
gutter design, rate 107
soakaway design 151

Refuse disposal
access for collection 44, 116
domestic, disposal systems 116

Rendering (*see* Plasters)

Roofs, roof coverings
asphalt, durability 144
built-up felt 8
—durability 144
condensation 110
coverings
—bitumen felt 8, 144
—corrugated plastics 69
damp-proof courses 77
drainage
—discharge into soil stacks 80
—pipe and gutter sizes 107
—soakaway design 151
flat
—construction 8
thermal movement 75
glazing, sound reduction 128
lights, plastics 69
lightweight sheeted, condensation 110
paving 8
sarking, plastics 69
screeds
—drying 8
—lightweight aggregate concrete 123
security 122
sound reduction 128
thermal insulation
—cellular plastics 93
—table of U-values 108
trussed rafter spans 147
wind loads 119

Safety
cleaning operations 113
dwellings 43, 44
electrical services on site 87

Schools
security 122
solar heat gain and comfort 68

Screeds (*see* Floors *or* Roofs)

Security
buildings, sites, wages 122

Setting -out
accuracy 114
BRS tape tension handle 114

Shops
security 122

Sites
electrical supplies 87, 88
filled 142
investigation 64
progress control 134
removing rubbish 132
security 122
setting-out 114

Slate
cleaning 113
damp-proof courses 77
effect of design on weathering 46

Soils (*see* Foundations)

Soil and waste systems
dwellings 80
offices, multi-storey 115

Solar heat
double glazing 140
window design 68

Sound, acoustics, insulation, noise
acoustics, improving room 82
aerated concrete
—sound absorption 16
—sound insulation 16
cellular plastics, acoustic uses 93
double glazing 140
floating screeds 104
insulation, basic principles 143
insulation between dwellings
—floors 103
—grading system 102
—lightweight construction 96
—walls 102
insulation, external noise 128, 129, 140
lightweight aggregate concrete floor screeds sound insulation 123
noise
—barriers 153
—effect on solar heat gain 68
—in ventilation ducts and fans 78, 129
—pile driving 95
—road traffic 153
vibrations, audible range 117

Stainless steel
back boilers 83
building uses 121
plumbing 83

Stairs
safety in design 44

Steel, reinforcing
corrosion risk in lightweight aggregate concrete 123
protection against corrosion 59, 109
zinc-coated 109

Stone, preservation, waterproofing (*see also* Slate)
cleaning 113
colourless preservatives 125
colourless water-repellents 125
mortars for masonry 58
Portland
—effect of design on weathering 45
—washings from limestone 45
stone, as a base for paint 56

Strength, stability
filled sites 142
foundations, loading 67
foundations, pile, structural requirements 95
lightweight aggregate concrete
—block walls 123
—structural properties 111
oscillation of slender structures 119
roofs
—trussed rafter spans 147
softwoods
—working stresses 72
softwoods, homegrown
—strengths and grading 72
structural design in architecture 12
structural problems
—earthquakes 92
—expansive clay soils 92
—flooding 152
—hurricanes 92
walls
—concentrated loading 61
—eccentric loading 61
—slenderness ratio 61
—strength 61
wind loads 119

Sulphate attack
brickwork 75, 89
cement and concrete 90
chimneys 60
floors, concrete 75
mortar 58
renderings 89

Tape
constant-tension handle 114

Terrazzo (*see* Floors)

Thermal effects
heat bridging 108
heat losses, ground floors 145
insulation
—chimneys 60
—cold stores, aerated concrete 17
—floors 93, 145
—plumbing, cellular plastics 93
—roofs 93
—walls 93
—windows 140
—wood floors 18, 145
properties
—aerated concrete 16, 17
—cellular plastics 93
—concrete 150
—lightweight aggregate concrete 123
screeds, lightweight concrete 104, 123
solar heat gain 68
sun controls in warm climates 92
U-values
—calculation 108, 145
—ground floors 145
—roofs 108
—walls 108
ventilation heat losses 78
warm climates, building in 92

Toxic washes
to control organic growths 139

Traffic
motorway noise and dwellings 153
vibration and buildings 117, 118

Trees
roots, effects on foundations 63, 64

U-values
ground floors 145
walls and roofs 108

Vandalism
housing estates 132

Vapour barriers
insulated wood floors 145

Ventilation
double windows 82, 140
internal bathrooms and WCs 78
noisy locations 68, 129

Vibrations
damage to buildings 117, 118
earthquakes 92
in buildings 117, 118

Walls
cavity
—aerated concrete block 17
—foamed plastics fill 93
—lightweight aggregate concrete block 123
—strength 61
cleaning, external 113
condensation 110
cracking 75
dampness, damp-proof courses (*see* Dampness)
lining 27
mortars 58, 61
painting 55, 56, 57
parapets
—damp-proof courses 77
—wind loading 119
sound insulation
—basic principles 143
—external walls 128, 129
—party walls 96, 102
strength 61
sulphate attack 75, 89
thermal transmittance 108
water-repellent treatments 125
wind loads 119

Water, hot and cold supplies
ballvalve, Garston pattern 15
plastics, pipes and fittings 69
plumbing
—domestic 15
—insulation, aerated concrete 17
—insulation, cellular plastics 93
—wilful damage 132
sanitary fittings
—generally 15
—plastics 69
—wilful damage 132
water
—effect on metals 98
—hardness; impurities 98
water pipes
—cold water supply 15
—metal corrosion 98
—plastics 69
—stainless steel 83
water services
—common ducts 78
—modernising 146

WCs, internal
ventilation 69

Weathering (*see* Durability)

Wind
assessment of loads 119
Beaufort scale 141
environment around tall buildings 141

Windows (*see also* Light)
double-glazed 140
frames, plastics 69
glasses
—light transmission 42, 140
—solar heat gain 68
—sound transmission 128
—special types 68
—warm climates, effects 92
joinery—preventing decay 73, 106
opening windows
—effect on noise 129
—effect on wind loads 119
painting
—metals, ferrous 70
—metals, non-ferrous 71
—wood 106
putty and glazing compounds 106
safety 44
security 122
solar heat gain 68
sound insulation 82, 128, 129, 153

Wood
blue stain 72
cladding, weathering 46
clear finishes 106
fire doors 155
flooring battens 18
floors, decay 18
painting 106
preservative treatments 18, 72, 106
sap stain 72
skirtings 18
softwood, homegrown 72
specifying timber 156
structure 106
thermal resistivity 110
trussed rafter spans 147
vapour resistivity 110
warm climates 92
weathering
—effect on design 46
—external influences 106
window joinery, preventing decay 73

Zinc
coatings 70
coatings, reinforcing steel 109
painting 71

Current titles and dates of latest revisions

8	Built-up felt roofs	(47)Ln2	1970 E
12	Structural design in architecture	(K)	1969 r
13	Concrete mix proportioning and control	Yq(D4)	1971 E
15	Pipes and fittings for domestic water supply	81(53.1)Yy	1968 r
	Aerated concrete—	Yq6(E1)	
16	1 : Manufacture and properties		1970 r
17	2 : Uses		1971 r
18	Design of timber floors to prevent decay	(23)Hi(S4)	1970 (m)
27	Rising damp in walls	(21)(I2)	1969 E
33	Sheet and tile flooring made from thermoplastic binders	(43)Tn6	1971 r
35	Shrinkage of natural aggregate in concrete	Yp1	1971 r
	Estimating daylight in buildings—	(N7)	
41	Part 1		1970 E
42	Part 2		1969 r
	Safety in domestic buildings—	81(E2g)	
43	Part 1		1971 r
44	Part 2		1970 r
	Design and appearance—		
45	Part 1	Ye3(S)	
46	Part 2	Yy(S)	
47	Granolithic concrete, concrete tiles and terrazzo flooring	(43)Yq5	1970 E
49	Choosing specifications for plastering	Pr2	1971 r
53	Project network analysis	(A5t)	1971 E
54	Damp-proofing solid floors	(13)(I2)	1971 E
	Painting walls—	(4–)Vv	
55	Part 1		1969 r
56	Part 2		1971 r
57	Part 3		1971 E
58	Mortars for jointing	Yq4	1970 r
59	Protection against corrosion of reinforcing steel in concrete	Hh2(S2)	1970 r
60	**Chimney design for domestic boilers**	81(21.8)	**1973 E**
61	Strength of brickwork, blockwork and concrete walls	(21.1)(K)	1970 (m)
	Soils and foundations—	(16)L4	
63	Part 1		1970 (m)
64	Part 2		1972 r
67	Part 3		1970 r
	The selection of clay building bricks—	Fg2	
65	Part 1		1968 r
66	Part 2		1971 r
68	Window design and solar heat gain	(31)(J2)	1971 r
69	Durability and application of plastics	Yn6(S)	1972 E
70	**Painting: Iron and steel**	Vv	**1973 E**
71	Painting: Non-ferrous metals and coatings	Vv	1969 r
72	Home-grown softwoods for building	Yi	1972 E
73	**Prevention of decay in external joinery**	(31)Xi(S4)	**1973 E**
75	Cracking in buildings	(S6)	1970 (m)
77	Damp-proof courses	(9–)Yy(I2)	1971 r
78	Ventilation of internal bathrooms and WCs in dwellings	94(57)	1969 r
79	Clay tile flooring	(43) Sg	1971 (m)
80	Soil and waste pipe systems for housing	81(52.1)	1970 r
81	Hospital sanitary services: some design and maintenance problems	41(52)	1971 (m)
82	Improving room acoustics	(M)	1969 r
83	**Plumbing with stainless steel**	(53)Ih3	**1973 E**
85	Joints between concrete wall panels: open drained joints	(9–)Gf	1971 r
	Electrical supplies for construction sites—	(B2c)	
87	Part 1		1969 r
88	Part 2		1970 r
89	Sulphate attack on brickwork	Fg2(S2)	1971 r
90	Concrete in sulphate-bearing soils and groundwaters	Yq(S)	1970 r
92	Building overseas in warm climates	(E7s)	
93	Cellular plastics for building	Yn7	1971 r
95	Choosing a type of pile	(17)	1972 (m)
96	Sound insulation and new forms of construction	81(M2)	1971 r
98	Durability of metals in natural waters	Yh(S2)	
	Sound insulation of traditional dwellings—		
102	Part 1 : walls	81(21)(M2)	1971 r
103	Part 2 : floors	81(23)(M2)	

Current titles and dates of latest revisions (continued)

104	Floor screeds	(43)Ey	1973 E
106	Painting woodwork	Vv	
107	Roof drainage	(52.5)	
108	Standardised U-values	(J4)	
109	Zinc-coated reinforcement for concrete	Hh2	
110	Condensation	(I6)	1972 E
111	Lightweight aggregate concretes: structural application	Yq7(K)	
113	Cleaning external surfaces of buildings	(W7)	1972 E
114	Accuracy in setting out	(D2)	
115	Soil and waste pipe systems for office buildings	32(52.1)	
116	Domestic refuse	81(51)	
117	Vibrations in buildings— Part 1	(L5)	
118	Part 2		
119	The assessment of wind loads	(K4f)	1971 r
120	Corrosion-resistant floors in industrial buildings	(43) Yy(S2)	
121	Stainless steel as a building material	Yh3	
122	Security	(E2h)	
123	Lightweight aggregate concretes	Yq7	
125	Colourless treatments for masonry	Vu6	
126	Changes in the appearance of concrete on exposure	Yq(S)	
127	An index of exposure to driving rain	(I3)	
128	Insulation against external noise— Part 1	(M2)	
129	Part 2		
130	Drainage pipelines— Part 1	(52)	
131	Part 2		
132	Wilful damage on housing estates	8(S4)	
133	Concrete pumping	Yq(D3)	
134	Flow charts to control progress on housing sites	81(A5)	
137	Principles of joint design	(9–)(F6)	
138	Operating costs of services in office buildings	32(5—) (Y4)	
139	Control of lichens, moulds and similar growths	Yy(S4)	
140	Double glazing and double windows	(31)Ro5(J2)	
141	Wind environment around tall buildings	(I5)	
142	Fill and hardcore	(1–)Yp	
143	Sound insulation: basic principles	(2–)(M2)	
144	Asphalt and built-up felt roofings: durability	(47)Ps(S)	
145	Heat losses through ground floors	(13) (J4)	
146	Modernising plumbing systems	(53) (W6)	
147	Permissible spans for trussed rafters	(27)Xi(F4j)	
149	The co-ordination of building colours	(G5)	
150	Concrete: materials	Yq	
151	Soakaways	(52.5)	
152	Repair and renovation of flood-damaged buildings	(W7)	
153	Motorway noise and dwellings	81(M5)	
154	Local housing programmes	06:8(E2)	
155	Timber fire doors	(32)Xi(R1)	
156	Specifying timber	Yi	
157	Calcium silicate brickwork	(2–)Ff1	
158	Honeycomb fire dampers	(R1)	

Key r = minor revision E = new edition (m) = unamended reprint, metricated

Department of the Environment **Building Research Establishment**

Prepared at Building Research Station, Garston, Watford WD2 7JR.
© Crown copyright 1973
Published by Her Majesty's Stationery Office and printed in England by Benham and Company Limited, Colchester.
Single copies 5p each. Annual subscription inclusive of postage £1·20 to cover 18 issues.
Quantity rates (excluding postage) for bulk supply of any one Digest: 25 for £1·05, 50 for £1·65, 100 for £3.

Dmnd. 505866 K704 9/73 ISBN 0 11 721602 X